

# HOLISURF<sup>HF</sup>

# HOLISURF<sup>LF</sup>

## Liquid Eyeshadow

LEAVE-ON

#26-155

### PRODUCT PROPERTIES

#### Benefits

- Colour cosmetics
- Ultra-mild
- 99% natural origin

#### Appearance

Opaque, coloured liquid

#### pH at 20°C

6.5-7.5

#### Manufacturing procedure

Disperse gums into glycerin and add boiling water whilst mixing. Combine ingredients of phase B and heat to 70°C in separate vessel. Add phase A whilst stirring. Adjust pigment amounts as required. Homogenise for 2 minutes before adding phase C. Adjust pH as necessary.

Phase	Ingredient	INCI / Name	Function	%WW
A	De-ionised water	Aqua	Solvent	73.50
	Glycerin	Glycerin	Humectant	3.00
	Xanthan gum	Xanthan gum	Thickener	0.50
	Microcrystalline cellulose	Microcrystalline cellulose	Texturiser	2.00
B	HoliSurf HF	Glycolipids	Emulsifier	2.00
	HoliSurf LF	Glycolipids	Emulsifier	2.00
	Fractionated coconut triglycerides	Caprylic/capric triglycerides	Emollient	5.00
	Jojoba oil	Simmondsia chinensis seed oil	Emollient	2.00
	Beeswax	Cera alba wax	Emulsifying wax	2.00
C	Mica powder	Mica	Colour	7.00
	Phenoxyethanol	Phenoxyethanol	Preservative	0.80
	Fragrance	Parfum	Fragrance	0.20



Good for the planet,  
but is it good for you?

We welcome your feedback.